


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REV		DESCRIPTION		DATE	INITIAL	APPROVED
A		REDRAWN FROM TATTERED DRAWING		6/28/2012	JAG	





ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-7	1	HUB	4130	Ø4-1/2 X 3-1/8	2
			-9	1	HANDLE	STRESS PROOF	Ø5/8 X 24-1/8	3
			-11	1	HAMMER	STRESS PROOF	Ø2 X 4-5/8	4
			-13	1	SLEEVE	STRESS PROOF	Ø1 X 2-5/8	5
			-15	1	TEE HANDLE	1018	Ø3/8 X 4-1/8	6
	B/O	-17	1		DOWEL PIN	STEEL	Ø1/8 X 1 MCMASTER-CARR #98381A475	1
	B/O	-19	1		SET SCREW	STEEL	1/4-20 X 3/16 MCMASTER-CARR #91375A532	1


RED BARN MACHINE	
TITLE	
M/R HUB DRIVER ASSY	
DWG NO.	RBA9933-5
MATL	DRAWN BY: GILBERT
APPROVED	
D Weil	
UNLESS OTHERWISE SPECIFIED	
DIMENSIONS ARE IN INCHES	
.XXX ± .010 FRACTIONS ± 1/32	
.XX ± .03 ANGLES ± .5°	
.X ± .1	
1. BREAK ALL SHARP EDGES .015 x 45°	
OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER	
PLATING	
USED ON MODEL	
MD	
SCALE	1:6
DATE	6/21/2012
SHEET 1 OF 6	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REV		DESCRIPTION		DATE	INITIAL	APPROVED
A		REDRAWN FROM TATTERED DRAWING		6/28/2012	JAG	



SECTION A-A
SCALE 1 : 2



(-7)

HUB


 RED BARN MACHINE	
TITLE	M/R HUB DRIVER ASSY
DWG NO.	RBA9933-5-7
MATL	4130
DRAWN BY:	GILBERT
APPROVED	
HEAT TREAT	
FINISH	BLACK OXIDE
SPEC	
USED ON MODEL	
MD	
SCALE	1:6
DATE	6/21/2012
SHEET	2 OF 6

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
.XXX ± .010 FRACTIONS ± 1/32
.XX ± .03 ANGLES ± .5°
.X ± .1

1. BREAK ALL SHARP EDGES .015 X 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REV		DESCRIPTION		DATE	INITIAL	APPROVED
A		REDRAWN FROM TATTERED DRAWING		6/28/2012	JAG	






(-9)

HANDLE

 RED BARN MACHINE	
TITLE	M/R HUB DRIVER ASSY
DWG NO.	RBA9933-5-9
MATL	STRESS PROOF
	DRAWN BY: GILBERT
	APPROVED
	<i>D Weil</i>
	UNLESS OTHERWISE SPECIFIED
	DIMENSIONS ARE IN INCHES
	.XXX ± .010 FRACTIONS ± 1/32
	.XX ± .03 ANGLES ± .5°
	.X ± .1
	1. BREAK ALL SHARP EDGES .015 x 45°
	OR .015R
	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
	USED ON MODEL
	MD
SCALE	1:2
DATE	6/21/2012
SHEET 3 OF 6	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REV		DESCRIPTION		DATE	INITIAL	APPROVED
A		REDRAWN FROM TATTERED DRAWING		6/28/2012	JAG	



(-11)

HAMMER




 RED BARN MACHINE

TITLE
M/R HUB DRIVER ASSY

DWG NO.	RBA9933-5-11	REV A
MATL	STRESS PROOF	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED		APPROVED 
DIMENSIONS ARE IN INCHES		HEAT TREAT
.XXX ± .010	FRACTIONS ± 1/32	FINISH BLACK OXIDE
.XX ± .03	ANGLES ± .5°	SPEC
.X ± .1		USED ON MODEL
1. BREAK ALL SHARP EDGES .015 x 45°		MD
OR .015R		
2. DIMENSIONAL LIMITS APPLY AFTER		
PLATING		
SCALE	1:2	DATE 6/21/2012
		SHEET 4 OF 6

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REV		DESCRIPTION		DATE	INITIAL	APPROVED
A		REDRAWN FROM TATTERED DRAWING		6/28/2012	JAG	




(-13)

SLEEVE

 RED BARN MACHINE	
TITLE	M/R HUB DRIVER ASSY
DWG NO.	RBA9933-5-13
MATL	STRESS PROOF
UNLESS OTHERWISE SPECIFIED	APPROVED
DIMENSIONS ARE IN INCHES	
.XXX \u00b1 .010	FRACTIONS \u00b1 1/32
.XX \u00b1 .03	ANGLES \u00b1 .5\u00b0
.X \u00b1 .1	
1. BREAK ALL SHARP EDGES .015 x 45*	HEAT
OR .015R	TREAT
2. DIMENSIONAL LIMITS APPLY AFTER	FINISH
PLATING	BLACK OXIDE
	SPEC
	USED ON MODEL
	MD
SCALE	1:2
DATE	6/21/2012
	SHEET 5 OF 6

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
A	REDRAWN FROM TATTERED DRAWING	6/28/2012	JAG



(-15)

TEE HANDLE

 RED BARN MACHINE	REV
TITLE	
DWG NO.	RBA9933-5-15
MATL	DRAWN BY: GILBERT
1018	APPROVED <i>D Weil</i>
UNLESS OTHERWISE SPECIFIED	HEAT
DIMENSIONS ARE IN INCHES	TREAT
.XXX ± .010	FINISH
.XX ± .03	BLACK OXIDE
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45°	USED ON MODEL
OR .015R	MD
2. DIMENSIONAL LIMITS APPLY AFTER	
PLATING	
SCALE	1:2
DATE	6/22/2012
	SHEET 6 OF 6